

- ◆ Telnet issue
- ◆ Mx record issue
- ◆ If I telnet locally then banner comes up of name 'piler.yourdomain.com' instead of the one I have set i.e. piler.japainfra.com
- ◆ We are unable to telnet from outside on port 25 & 587 (on both private & public network)

Following are some error logs we have get...

1)Failed Recipient: `archive@piler.xxx.com`

Reason: Remote host said: 601 Failed to connect to the recipients mail server. No MX records were found for the 'piler.netgainstechnologies.com' domain.

Status: 544 5.4.4 Host not found (not in DNS).Attempted to send the message to the following ip's:

2)Failed Recipient: `archive@x.x.x.x` (IP address)

Reason: Remote host said: 601 Failed to connect to the recipients mail server. No MX records were found for the 'x.x.x.x'(IP) domain.

Status: 544 5.4.4 Host not found (not in DNS).Attempted to send the message to the following ip's:

3)Failed Recipient: `archive@piler.xxx.com`

Reason: Remote host said: 601 Attempted to send the message to the following ip's:

X.x.x.x

X.x.x.x

4)Failed Recipient: `archive@archive.yourdomain.com`

Reason: Remote host said: 601 Failed to connect to the recipients mail server. No MX records were found for the 'archive.yourdomain.com' domain.

Status: 544 5.4.4 Host not found (not in DNS).Attempted to send the message to the following ip's:

5)Connecting to x.x.x:25 IP(Id: 1)

Binding to local IP x.x.x.x (Id: 1)

Exception connecting to x.x.x.x (Id: 1)

System.Net.Sockets.SocketException (0x80004005): A connection attempt failed because the connected party did not properly respond after a period of time, or established connection failed because connected host has failed to respond x.x.x.x:25

Binding to local ip 'x.x.x.x' failed. Switched binding to primary local ip.

Connecting to x.x.x.x:25 (Id: 2)

Exception connecting to x.x.x.x. (Id: 2)