



# soda4LCA release 2.0.0 Service API



## Table of Contents

1. Namespace URIs .....	3
2. GET Datasets .....	4
Requests .....	4
Responses .....	5
Examples .....	5
3. GET Dataset .....	6
Requests .....	6
Responses .....	6
Examples .....	7
4. GET Exchanges of a Process Dataset .....	9
Requests .....	9
Responses .....	9
Examples .....	9
5. GET Producers or Consumers of a Flow .....	11
Requests .....	11
Responses .....	11
Examples .....	11
6. GET Digital File of a Source Dataset .....	12
Requests .....	12
Responses .....	12
Examples .....	12
7. POST Datasets .....	13
Requests .....	13
Responses .....	13
Examples .....	13
8. GET Process Datasets (Query) .....	14
Requests .....	14
Responses .....	14
Examples .....	14
9. GET Datastocks .....	15
Requests .....	15
Responses .....	15
Examples .....	16
10. GET Datasets from a Data Stock .....	17
Requests .....	17
Responses .....	17



---

Examples .....	17
11. Authentication .....	19
Login .....	19
Logout .....	20
Status .....	21
12. Node Information .....	23
Requests .....	23
Responses .....	23
Examples .....	24
13. Response Elements .....	26
DatasetList Response Elements .....	27
Process Response Elements .....	29
Flow Response Elements .....	35
FlowProperty Response Elements .....	38
UnitGroup Response Elements .....	40
Source Response Elements .....	41
Contact Response Elements .....	43
LCIAMethod Response Elements .....	45

# 1. Namespace URIs

If not otherwise specified, response elements (except in full dataset mode) belong to the <http://www.ilcd-network.org/ILCD/ServiceAPI> namespace. The following table lists the keys that are used to reference the namespaces for response elements.

**Table 1. Namespace URIs**

Key	Namespace URI
serviceapi	<a href="http://www.ilcd-network.org/ILCD/ServiceAPI">http://www.ilcd-network.org/ILCD/ServiceAPI</a>
xlink	<a href="http://www.w3.org/1999/xlink">http://www.w3.org/1999/xlink</a>
process	<a href="http://www.ilcd-network.org/ILCD/ServiceAPI/Process">http://www.ilcd-network.org/ILCD/ServiceAPI/Process</a>
flow	<a href="http://www.ilcd-network.org/ILCD/ServiceAPI/Flow">http://www.ilcd-network.org/ILCD/ServiceAPI/Flow</a>
flowProperty	<a href="http://www.ilcd-network.org/ILCD/ServiceAPI/FlowProperty">http://www.ilcd-network.org/ILCD/ServiceAPI/FlowProperty</a>
unitGroup	<a href="http://www.ilcd-network.org/ILCD/ServiceAPI/UnitGroup">http://www.ilcd-network.org/ILCD/ServiceAPI/UnitGroup</a>
lciamethod	<a href="http://www.ilcd-network.org/ILCD/ServiceAPI/LCIAMethod">http://www.ilcd-network.org/ILCD/ServiceAPI/LCIAMethod</a>
source	<a href="http://www.ilcd-network.org/ILCD/ServiceAPI/Source">http://www.ilcd-network.org/ILCD/ServiceAPI/Source</a>
contact	<a href="http://www.ilcd-network.org/ILCD/ServiceAPI/Contact">http://www.ilcd-network.org/ILCD/ServiceAPI/Contact</a>
datastock	<a href="http://www.ilcd-network.org/ILCD/ServiceAPI/DataStock">http://www.ilcd-network.org/ILCD/ServiceAPI/DataStock</a>
nodeinfo	<a href="http://www.ilcd-network.org/ILCD/ServiceAPI/NodeInfo">http://www.ilcd-network.org/ILCD/ServiceAPI/NodeInfo</a>

## 2. GET Datasets

Basic GET operations that return a list of datasets. Applies to all dataset types.

### Requests

#### Syntax

```
GET /processes
GET /flows
GET /flowproperties
GET /unitgroups
GET /sources
GET /contacts
GET /lciamethods
```

#### Request Parameters

**Table 2.**

Name	Description
<i>startIndex</i>	As all result sets are paged, this specifies the index of the first item of the entire result set of the operation that shall be included in the response.  Type: Integer  Default: 0
<i>pageSize</i>	The page size (number of items) for the response.  Type: Integer  Default: 500
<i>search</i>	Perform a search query that will return results matching the given query parameters.  Type: Boolean  Default: false
<i>distributed</i>	Perform a distributed search across all registered network nodes.  Type: Boolean  Default: false
<i>name</i>	search parameter  Type: String  Default: None
<i>description</i>	search parameter  Type: String  Default: None

## Responses

### Response Elements

The response returned is a list of dataset overview objects, wrapped in a dataSetList object. See the section "DataSetList Response Elements" for a detailed description.

## Examples

### Sample Request

```
GET /processes
```

### Sample Response

```
HTTP/1.1 200 OK
```

```
Content-Type: application/xml
```

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<serviceapi:dataSetList xmlns:serviceapi="http://www.ilcd-
network.org/ILCD/ServiceAPI" xmlns:xlink="http://www.w3.org/1999/
xlink" xmlns:process="http://www.ilcd-network.org/ILCD/ServiceAPI/
Process" serviceapi:totalSize="4" serviceapi:startIndex="0" serviceapi:pageSize="500">
  <process:process serviceapi:sourceId="ACME" xlink:href="http://lci.acme.com/DB/
processes/0a1b40db-5645-4db8-a887-eb09300b7b74">
    <serviceapi:uuid>0a1b40db-5645-4db8-a887-eb09300b7b74</serviceapi:uuid>
    <serviceapi:permanentUri>http://lca.jrc.ec.europa.eu/lcainfohub/datasets/elcd/
processes/0a1b40db-5645-4db8-a887-eb09300b7b74.xml</serviceapi:permanentUri>
    <serviceapi:dataSetVersion>03.00.000</serviceapi:dataSetVersion>
    <serviceapi:name xml:lang="en">Electricity Mix;AC;consumption mix, at consumer;1kV -
60kV</serviceapi:name>
    <serviceapi:classification name="ilcd">
      <serviceapi:class level="0">Energy carriers and technologies</serviceapi:class>
      <serviceapi:class level="1">Electricity</serviceapi:class>
    </serviceapi:classification>
    <process:type>LCI result</process:type>
    <process:location>EU-27</process:location>
    <process:time>
      <process:referenceYear>2002</process:referenceYear>
      <process:validUntil>2010</process:validUntil>
    </process:time>
    <process:parameterized>>false</process:parameterized>
    <process:hasResults>>false</process:hasResults>
    <process:lciMethodInformation>
      <process:methodPrinciple>Attributional</process:methodPrinciple>
      <process:approach>Allocation - mass</process:approach>
      <process:approach>Allocation - market value</process:approach>
      <process:approach>Allocation - exergetic content</process:approach>
      <process:approach>Allocation - net calorific value</process:approach>
    </process:lciMethodInformation>
    <process:complianceSystem name="ILCD Data Network - Entry-level">
      <serviceapi:reference type="source data set" version="00.00.000" uri="./sources/
d92a1a12-2545-49e2-a585-55c259997756.xml"/>
      <process:overallCompliance>Not compliant</process:overallCompliance>
      <process:nomenclatureCompliance>Fully compliant</process:nomenclatureCompliance>
      <process:methodologicalCompliance>Fully compliant</
process:methodologicalCompliance>
      <process:reviewCompliance>Not compliant</process:reviewCompliance>
      <process:documentationCompliance>Not compliant</process:documentationCompliance>
      <process:qualityCompliance>Not defined</process:qualityCompliance>
    </process:complianceSystem>
    <process:accessInformation/>
  </process:process>
</serviceapi:dataSetList>
```

## 3. GET Dataset

Basic GET operations for all dataset types to retrieve a single dataset

### Requests

#### Syntax

```
GET /processes/{uuid}?version={version}
GET /flows/{uuid}?version={version}
GET /flowproperties/{uuid}?version={version}
GET /unitgroups/{uuid}?version={version}
GET /sources/{uuid}?version={version}
GET /contacts/{uuid}?version={version}
GET /lciamethods/{uuid}?version={version}
```

#### Versioning

By default, the most recent version of a dataset is retrieved. When specifying the version parameter, that specific version will be returned.

### Request Parameters

**Table 3.**

Name	Description
<i>version</i>	The version number of the dataset to retrieve. If omitted, always the most recent version is retrieved.  Type: Version number of the form 00.00.000  Default: None
<i>format</i>	Specifies the format of the response.  Values: XML, HTML  Default: HTML
<i>view</i>	Specifies whether the response should be summary of the dataset, the full dataset or just the metadata section.  Values: overview, full, metadata  Default: full

### Responses

#### Response Elements

By default (and with proper access permissions), the full ILCD-formatted dataset is returned as HTML representation (if not otherwise specified). See the section "Response Elements" for response elements in overview.

## Examples

### Sample Request

```
GET /processes/00000000-0000-0000-0000-000000000000?
format=xml&view=overview
```

### Sample Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
```

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<process xmlns:serviceapi="http://www.ilcd-network.org/ILCD/ServiceAPI" xmlns:xlink="http://
www.w3.org/1999/xlink" xmlns="http://www.ilcd-network.org/ILCD/ServiceAPI/
Process" xmlns:flow="http://www.ilcd-network.org/ILCD/ServiceAPI/
Flow" xmlns:flowProperty="http://www.ilcd-network.org/ILCD/ServiceAPI/
FlowProperty" xmlns:unitGroup="http://www.ilcd-network.org/ILCD/ServiceAPI/
UnitGroup" xmlns:lciamethod="http://www.ilcd-network.org/ILCD/ServiceAPI/
LCIAMethod" xmlns:source="http://www.ilcd-network.org/ILCD/ServiceAPI/
Source" xmlns:contact="http://www.ilcd-network.org/ILCD/ServiceAPI/
Contact" serviceapi:accessRestricted="true">
  <serviceapi:uuid>00000000-0000-0000-0000-000000000000</serviceapi:uuid>
  <serviceapi:permanentUri>http://db.ilcd-network.org/data/processes/processtest</
serviceapi:permanentUri>
  <serviceapi:dataSetVersion>01.00.000</serviceapi:dataSetVersion>
  <serviceapi:name xml:lang="en">Foo unit process</serviceapi:name>
  <serviceapi:classification>
    <serviceapi:class level="0">Energy systems</serviceapi:class>
    <serviceapi:class level="1">Foo energy systems</serviceapi:class>
  </serviceapi:classification>
  <serviceapi:generalComment xml:lang="en">foo bar</serviceapi:generalComment>
  <serviceapi:synonyms xml:lang="en">Foobar</serviceapi:synonyms>
  <serviceapi:synonyms xml:lang="de">Fubar</serviceapi:synonyms>
  <type>Unit process, single operation</type>
  <quantitativeReference>
    <referenceFlow>
      <name xml:lang="en">electricity mix</name>
      <meanValue>0.0</meanValue>
      <serviceapi:reference type="flow data
set" refObjectId="00000000-0000-0000-0000-000000000000">
        <serviceapi:shortDescription xml:lang="en">foo flow</
serviceapi:shortDescription>
      </serviceapi:reference>
    </referenceFlow>
    <functionalUnit xml:lang="en">Foonctional Unit</functionalUnit>
  </quantitativeReference>
  <location>RER</location>
  <time>
    <referenceYear>2009</referenceYear>
    <validUntil>2012</validUntil>
  </time>
  <parameterized>true</parameterized>
  <hasResults>true</hasResults>
  <containsProductModel>false</containsProductModel>
  <lciMethodInformation>
    <methodPrinciple>Attributional</methodPrinciple>
    <approach>Allocation - gross calorific value</approach>
    <approach>Allocation - element content</approach>
  </lciMethodInformation>
  <completenessProductModel>All relevant flows quantified</completenessProductModel>
  <complianceSystem name="ILCD Compliance - entry level">
    <overallCompliance>Fully compliant</overallCompliance>
  </complianceSystem>
  <review type="Independent external review">
    <scope name="LCI results or Partly terminated system">
      <method name="Element balance"/>
    </scope>
  </review>
</process>
```

```

    </scope>
    <dataQualityIndicators>
      <dataQualityIndicator name="Completeness" value="Good" />
    </dataQualityIndicators>
    <reviewDetails xml:lang="en">details here</reviewDetails>
  </review>
  <overallQuality>FO000</overallQuality>
  <useAdvice xml:lang="en">hear my advice</useAdvice>
  <accessInformation>
    <copyright>>true</copyright>
    <licenseType>Free of charge for all users and uses</licenseType>
    <useRestrictions xml:lang="en">Rated R</useRestrictions>
  </accessInformation>
  <format>ILCD 1.0</format>
  <ownership type="contact data set" refObjectId="00000000-0000-0000-0000-000000000000">
    <serviceapi:shortDescription xml:lang="en">JRC</serviceapi:shortDescription>
  </ownership>
</process>

```

## Sample Request

```
GET /processes/00000000-0000-0000-0000-000000000000?format=xml
```

## Sample Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
```

```

<?xml version="1.0" encoding="utf-8"?>
<?xml-stylesheet version="1.0" href="../../stylesheets/process2html.xsl" type="text/xsl"?>
<processDataSet xmlns="http://lca.jrc.it/ILCD/Process" xmlns:common="http://lca.jrc.it/ILCD/Common" locations="../../ILCDLocations.xml" version="1.1">
  <processInformation>
    <dataSetInformation>
      <common:UUID>00000000-0000-0000-0000-000000000000</common:UUID>
      <name>
        <baseName xml:lang="en">Electricity Mix, Foo</baseName>
        <treatmentStandardsRoutes xml:lang="en">AC</treatmentStandardsRoutes>
        <mixAndLocationTypes xml:lang="en">consumption mix, at consumer</mixAndLocationTypes>
        <functionalUnitFlowProperties xml:lang="en">1kV - 60kV</functionalUnitFlowProperties>
      </name>
      <common:synonyms xml:lang="en">power grid mix</common:synonyms>
      <classificationInformation>
        <common:classification>
          <common:class level="0">Energy carriers and technologies</common:class>
          <common:class level="1">Electricity</common:class>
        </common:classification>
      </classificationInformation>
      <common:generalComment xml:lang="en">Good overall data quality. Energy carrier mix information based on official statistical information including import/export. Detailed power plant models were used, which combine measured emissions plus calculated values for not measured emissions of e.g. organics or heavy metals. Energy carrier extraction and processing data is of sufficient to good (e.g. refinery) data quality. Inventory is partly based on primary industry data, partly on secondary literature data.</common:generalComment>
    </dataSetInformation>
    <quantitativeReference type="Reference flow(s)">
      <referenceToReferenceFlow>63</referenceToReferenceFlow>
    </quantitativeReference>
    <time>
      <common:referenceYear>2002</common:referenceYear>
      <common:dataSetValidUntil>2010</common:dataSetValidUntil>
      <common:timeRepresentativenessDescription xml:lang="en">Annual average</common:timeRepresentativenessDescription>
    </time>
    <geography>
      ...
    </processDataSet>

```

## 4. GET Exchanges of a Process Dataset

GET operation to retrieve the list of exchanges for a specific process dataset.

### Requests

#### Syntax

```
GET /processes/{uuid}/exchanges
```

#### Request Parameters

Table 4.

Name	Description
<i>direction</i>	The direction of the exchanges to be retrieved.  Optional  Values: in, out  Default: None
<i>type</i>	The type of the exchanges to be retrieved.  Optional  Values: Elementary flow, Product flow, Waste flow, Other flow  Default: None

### Responses

#### Response Elements

A datasetList object containing flow objects is returned as response. See the sections "DatasetList Response Elements" and "Flow Response Elements" for a detailed description.

### Examples

#### Sample Request

```
GET /processes/0cbf76cc-0192-4617-acd3-0fdb3cecf6c7/exchanges?
direction=in
```

#### Sample Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
```

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<serviceapi:datasetList xmlns:serviceapi="http://www.ilcd-network.org/ILCD/
serviceAPI" xmlns:xlink="http://www.w3.org/1999/xlink"
```

```

xmlns:flow="http://www.ilcd-network.org/ILCD/ServiceAPI/
Flow" serviceapi:totalSize="60" serviceapi:startIndex="0" serviceapi:pageSize="60">
  <flow:flow serviceapi:sourceId="ACME" xlink:href="http://localhost:8091/Node/flows/
fe0acd60-3ddc-11dd-ae5d-0050c2490048">
    <serviceapi:uuid>fe0acd60-3ddc-11dd-ae5d-0050c2490048</serviceapi:uuid>
    <serviceapi:permanentUri>http://lca.jrc.ec.europa.eu/lcainfohub/datasets/ilcd/flows/
fe0acd60-3ddc-11dd-ae5d-0050c2490048_02.00.000.xml</serviceapi:permanentUri>
    <serviceapi:dataSetVersion>02.00.000</serviceapi:dataSetVersion>
    <serviceapi:name xml:lang="en">lead</serviceapi:name>
    <flow:flowCategorization name="ilcd">
      <serviceapi:category level="0">Resources</serviceapi:category>
      <serviceapi:category level="1">Resources from ground</serviceapi:category>
      <serviceapi:category level="2">Non-renewable element resources from ground</
serviceapi:category>
    </flow:flowCategorization>
    <flow:type>Elementary flow</flow:type>
    <flow:referenceFlowProperty xlink:href="">
      <flow:name xml:lang="de">Formaldehyd</flow:name>
      <flow:defaultUnit>kg</flow:defaultUnit>
      <serviceapi:reference type="flow property data set" version="02.00.000" uri="../
flowproperties/93a60a56-a3c8-11da-a746-0800200b9a66_02.00.000.xml"/>
    </flow:referenceFlowProperty>
  </flow:flow>
  <flow:flow serviceapi:sourceId="ACME" xlink:href="http://localhost:8091/Node/
flows/1729ef88-6556-11dd-ad8b-0800200c9a66">
    <serviceapi:uuid>1729ef88-6556-11dd-ad8b-0800200c9a66</serviceapi:uuid>
    <serviceapi:permanentUri>http://lca.jrc.ec.europa.eu/lcainfohub/datasets/ilcd/
flows/1729ef88-6556-11dd-ad8b-0800200c9a66_02.00.000.xml</serviceapi:permanentUri>
    <serviceapi:dataSetVersion>02.00.000</serviceapi:dataSetVersion>
    ...
  </flow:flow>
</serviceapi:dataSetList>

```

## 5. GET Producers or Consumers of a Flow

GET operation to identify processes that produce or consume a specific flow.

### Requests

---

#### Syntax

```
GET /flows/{uuid}?version={version}/producers/
GET /flows/{uuid}?version={version}/consumers/
```

#### Request Parameters

**Table 5.**

Name	Description
	Type: Default:

### Responses

---

#### Response Elements

By default (and with proper access permissions), the full ILCD-formatted dataset is returned as HTML representation (if not otherwise specified). See the section "Response Elements" for response elements in overview.

### Examples

---

#### Sample Request

#### Sample Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
```

## 6. GET Digital File of a Source Dataset

GET operation to retrieve the digital file attachment for a specific source dataset.

### Requests

---

#### Syntax

```
GET /sources/{uuid}/{filename}
```

The filename must be URL encoded.

```
GET /sources/{uuid}/digitalfile
```

The latter variant will retrieve the first digital file entry for the specified dataset.

#### Request Parameters

none

### Responses

---

The digital file.

The returned MIME type will be `image/*` for images and `application/pdf` for files that carry a `.pdf` extension.

### Examples

---

#### Sample Request

```
GET /sources/0a34866e-ce75-48c8-82e6-0080739e7154/100512%20System%20boundaries%20diagram%20-%20with%20reuse.jpg
```

#### Sample Response

```
HTTP/1.1 200 OK  
Content-Type: image/jpeg
```

(the image)

#### Sample Request

```
GET /sources/cb1c5d4a-50ed-4d7b-828b-6fcd560ee17b/digitalfile
```

#### Sample Response

```
HTTP/1.1 200 OK  
Content-Type: application/pdf
```

(the PDF document)

## 7. POST Datasets

### Requests

---

#### Syntax

```
POST /
```

#### Request Parameters

**Table 6.**

Name	Description
	Type: String Default: None

### Responses

---

#### Response Elements

**Table 7.**

Name	Description
	Type: Ancestors:

### Examples

---

#### Sample Request

```
POST /
```

#### Sample Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
```

## 8. GET Process Datasets (Query)

### Requests

---

#### Syntax

```
GET /
```

#### Request Parameters

Table 8.

Name	Description
	Type: String Default: None

### Responses

---

#### Response Elements

Table 9.

Name	Description
	Type: Ancestors:

### Examples

---

#### Sample Request

```
GET /
```

#### Sample Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
```

## 9. GET Datastocks

GET operation that returns a list of all datastocks.

### Requests

#### Syntax

```
GET /datastocks
```

#### Request Parameters

None.

### Responses

#### Response Elements

**Table 10.**

Name	Description
<i>dataStockList</i> (datastock)	The container element for the list of data stock objects.  Type: Container  Ancestors: none.
<i>dataStock</i> (datastock)	The container element for the data stock object.  Type: Container  may occur multiple times  Ancestors: dataStockList
<i>@root</i> (datastock)	Indicates whether the data stock is a root data stock.  Type: Boolean  Ancestors: dataStock
<i>shortName</i>	The short name (handle) of the data stock.  Type: String  Ancestors: dataStock
<i>name</i>	The name of the data stock.  Type: String Multilang  may occur multiple times  Ancestors: dataStock
<i>description</i>	A description for the data stock.

Name	Description
(datastock)	Type: String Multilang may occur multiple times Ancestors: dataStock

## Examples

### Sample Request

```
GET /datastocks
```

### Sample Response

```
HTTP/1.1 200 OK
```

```
Content-Type: application/xml
```

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<dataStockList xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation="http://www.ilcd-network.org/ILCD/
ServiceAPI/DataStock ../schemas/ILCD_Service_API_DataStocks.xsd"
  xmlns="http://www.ilcd-network.org/ILCD/ServiceAPI/
DataStock" xmlns:ds="http://www.ilcd-network.org/ILCD/ServiceAPI/
DataStock" xmlns:serviceapi="http://www.ilcd-network.org/ILCD/
ServiceAPI">
  <dataStock ds:root="true">
    <serviceapi:shortName>default</serviceapi:shortName>
    <serviceapi:name xml:lang="en">Default Root Data Stock</
serviceapi:name>
    <serviceapi:name xml:lang="de">deutscher Name</
serviceapi:name>
    <description xml:lang="en">description</description>
    <description xml:lang="de">deutsche Beschreibung</description>
  </dataStock>
  <dataStock>
    <serviceapi:shortName>other</serviceapi:shortName>
    <serviceapi:name xml:lang="en">Other, Non-Root Data Stock</
serviceapi:name>
    <description xml:lang="en">other data</description>
  </dataStock>
</dataStockList>
```

## 10. GET Datasets from a Data Stock

Basic GET operations that return a list of datasets from a specific data stock. Applies to all dataset types.

### Requests

#### Syntax

```
GET /datastocks/{datastock-uuid}/processes
GET /datastocks/{datastock-uuid}/flows
GET /datastocks/{datastock-uuid}/flowproperties
GET /datastocks/{datastock-uuid}/unitgroups
GET /datastocks/{datastock-uuid}/sources
GET /datastocks/{datastock-uuid}/contacts
GET /datastocks/{datastock-uuid}/lciamethods
```

#### Request Parameters

All request parameters as for the basic GET Datasets operation are supported. See section Request Parameters for GET Datasets for the full list.

### Responses

#### Response Elements

The response returned is a list of dataset overview objects, wrapped in a dataSetList object. See the section "DataSetList Response Elements" for a detailed description.

### Examples

#### Sample Request

```
GET
/datastocks/aca74e60-146e-11e2-892e-0800200c9a66/processes
```

#### Sample Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
```

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<serviceapi:dataSetList xmlns:serviceapi="http://www.ilcd-
network.org/ILCD/ServiceAPI" xmlns:xlink="http://www.w3.org/1999/
xlink" xmlns:process="http://www.ilcd-network.org/ILCD/ServiceAPI/
Process" serviceapi:totalSize="4" serviceapi:startIndex="0" serviceapi:pageSize="500">
  <process:process serviceapi:sourceId="ACME" xlink:href="http://lci.acme.com/DB/
processes/0a1b40db-5645-4db8-a887-eb09300b7b74">
    <serviceapi:uuid>0a1b40db-5645-4db8-a887-eb09300b7b74</serviceapi:uuid>
    <serviceapi:permanentUri>http://lca.jrc.ec.europa.eu/lcainfohub/datasets/elcd/
processes/0a1b40db-5645-4db8-a887-eb09300b7b74.xml</serviceapi:permanentUri>
```

```

    <serviceapi:dataSetVersion>03.00.000</serviceapi:dataSetVersion>
    <serviceapi:name xml:lang="en">Electricity Mix;AC;consumption mix, at consumer;1kV -
60kV</serviceapi:name>
    <serviceapi:classification name="ilcd">
      <serviceapi:class level="0">Energy carriers and technologies</serviceapi:class>
      <serviceapi:class level="1">Electricity</serviceapi:class>
    </serviceapi:classification>
    <process:type>LCI result</process:type>
    <process:location>EU-27</process:location>
    <process:time>
      <process:referenceYear>2002</process:referenceYear>
      <process:validUntil>2010</process:validUntil>
    </process:time>
    <process:parameterized>>false</process:parameterized>
    <process:hasResults>>false</process:hasResults>
    <process:lciMethodInformation>
      <process:methodPrinciple>Attributional</process:methodPrinciple>
      <process:approach>Allocation - mass</process:approach>
      <process:approach>Allocation - market value</process:approach>
      <process:approach>Allocation - exergetic content</process:approach>
      <process:approach>Allocation - net calorific value</process:approach>
    </process:lciMethodInformation>
    <process:complianceSystem name="ILCD Data Network - Entry-level">
      <serviceapi:reference type="source data set" version="00.00.000" uri="./sources/
d92a1a12-2545-49e2-a585-55c259997756.xml"/>
      <process:overallCompliance>Not compliant</process:overallCompliance>
      <process:nomenclatureCompliance>Fully compliant</process:nomenclatureCompliance>
      <process:methodologicalCompliance>Fully compliant</
process:methodologicalCompliance>
      <process:reviewCompliance>Not compliant</process:reviewCompliance>
      <process:documentationCompliance>Not compliant</process:documentationCompliance>
      <process:qualityCompliance>Not defined</process:qualityCompliance>
    </process:complianceSystem>
    <process:accessInformation/>
  </process:process>
</serviceapi:dataSetList>

```

# 11. Authentication

## Login

In order to perform certain operations, authentication may be required. This GET operation performs authentication against the application, setting a session cookie if successful.

### Requests

#### Syntax

```
GET /authenticate/login
```

#### Request Parameters

**Table 11.**

Name	Description
<i>userName</i>	The username to authenticate with Type: String Default: None
<i>password</i>	The password to authenticate with Type: String Default: None

### Responses

#### Response Elements

None

### Examples

#### Sample Request

```
GET /authenticate/login?username=foo&password=bar
```

#### Sample Response if Login Successful

```
HTTP/1.1 200 OK
Content-Type: text/plain
```

```
Login successful
```

#### Sample Response if Already Logged In

```
HTTP/1.1 200 OK
Content-Type: text/plain
```



---

You are already logged in as a user

## Sample Response if Wrong User Name or Password

```
HTTP/1.1 200 OK
Content-Type: text/plain
```

```
incorrect password or user name
```

## Sample Response if User Name or Password Missing in Request

```
HTTP/1.1 200 OK
Content-Type: text/plain
```

```
user name and password must have a value
```

## Logout

---

With this GET operation, the session for a currently authenticated user can be closed.

## Requests

### Syntax

```
GET /authentication/logout
```

### Request Parameters

none

## Responses

### Response Elements

None.

## Examples

### Sample Request

```
GET /authentication/logout
```

### Sample Response if authenticated

```
HTTP/1.1 200 OK
Content-Type: text/plain
```

```
successfully logged out
```

### Sample Response if not authenticated

```
HTTP/1.1 200 OK
Content-Type: text/plain
```



currently not authenticated

## Status

With this GET operation, the current authentication status (authenticated or not) can be retrieved, as well the user name and any associated roles if authenticated.

## Requests

### Syntax

GET /authentication/status

### Request Parameters

none

## Responses

### Response Elements

**Table 12.**

Name	Description
<i>authInfo</i>	Contains the elements that describe the authentication status. Type: Container Ancestors: None
<i>authenticated</i>	Indicates whether the session is currently authenticated or not. Type: Boolean Ancestors: authInfo
<i>userName</i>	The username for the current session Type: String Ancestors: authInfo
<i>role</i>	One entry for each role associated for the current session Type: String may occur multiple times Ancestors: authInfo

## Examples

### Sample Request

GET /authentication/status

## Sample Response if authenticated

```
HTTP/1.1 200 OK
Content-Type: application/xml
```

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<authInfo xmlns="http://www.ilcd-network.org/ILCD/ServiceAPI">
  <authenticated>true</authenticated>
  <userName>admin</userName>
  <role>READ</role>
  <role>EXPORT</role>
  <role>CHECKOUT</role>
  <role>CHECKIN</role>
  <role>RELEASE</role>
  <role>DELETE</role>
  <role>MANAGE_USER</role>
  <role>ADMIN</role>
  <role>SUPER_ADMIN</role>
</authInfo>
```

## Sample Response if not authenticated

```
HTTP/1.1 200 OK
Content-Type: application/xml
```

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<authInfo xmlns="http://www.ilcd-network.org/ILCD/ServiceAPI">
  <authenticated>>false</authenticated>
</authInfo>
```

## 12. Node Information

This GET operation retrieves information about the node.

### Requests

#### Syntax

```
GET /nodeinfo
```

#### Request Parameters

None.

### Responses

#### Response Elements

**Table 13.**

Name	Description
<i>nodeInfo</i>	Contains the elements with the node information. Type: Container Ancestors: None.
<i>nodeID</i>	The ID of the node. Type: String (no spaces allowed) Ancestors: nodeInfo
<i>name</i>	The full name of the node Type: String Ancestors: nodeInfo
<i>operator</i>	The person or entity operating this node Type: String Ancestors: nodeInfo
<i>description</i>	A description of the node Type: String Ancestors: nodeInfo
<i>baseURL</i>	The base URL of the node's service interface. Type: String Ancestors: nodeInfo

Name	Description
<i>administrativeContact</i>	The element carrying information about the administrative contact for the node. Type: String Ancestors: nodeInfo
<i>centralContactPoint</i>	The central contact point Type: String Ancestors: nodeInfo.centralContactPoint
<i>email</i>	The email address Type: String Ancestors: nodeInfo.centralContactPoint
<i>phone</i>	The phone number Type: String Ancestors: nodeInfo.centralContactPoint
<i>www</i>	The www address Type: String Ancestors: nodeInfo.centralContactPoint

## Examples

### Sample Request

```
GET /nodeinfo
```

### Sample Response

```
HTTP/1.1 200 OK
```

```
Content-Type: application/xml
```

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<nodeInfo xmlns="http://www.ilcd-network.org/ILCD/ServiceAPI/
NodeInfo" xmlns:contact="http://www.ilcd-network.org/ILCD/ServiceAPI/
Contact">
  <nodeID>ACME</nodeID>
  <name>ACME Public LCI Database</name>
  <operator>ACME Inc.</operator>
  <description xml:lang="en">Free Text Description</description>
  <baseURL>http://lci.acme.com/DB</baseURL>
  <administrativeContact>
    <contact:centralContactPoint>ACME Inc. Worldwide
Headquarters</contact:centralContactPoint>
    <contact:email>info@acme.com</contact:email>
    <contact:phone>+49 721 555 4242</contact:phone>
    <contact:www>www.acme.com</contact:www>
  </administrativeContact>
</nodeInfo>
```



---

```
</administrativeContact>  
</nodeInfo>
```



---

# 13. Response Elements

## DatasetList Response Elements

**Table 14.**

Name	Description
<i>dataSetList</i>	The container element for the list of dataset objects. Type: Container Ancestors: None
@ <i>sourceId</i>	Node ID of the originating node. Type: String Ancestors: dataSetList
@ <i>totalSize</i>	Total size of the result set, i.e. number of contained dataset objects. Type: Integer Ancestors: dataSetList
@ <i>startIndex</i>	The index of the first item in this list in relation to the entire result set. Type: Integer Ancestors: dataSetList
@ <i>pageSize</i>	The page size (number of items) for this list. Type: Integer Ancestors: dataSetList
<i>process</i> (process)	A process dataset object. See section "Process Response Elements" for a detailed description. Type: Container optional, may occur multiple times Ancestors: dataSetList
<i>flow</i> (flow)	A flow dataset object. See section "Flow Response Elements" for a detailed description. Type: Container optional, may occur multiple times Ancestors: dataSetList
<i>flowProperty</i> (flowproperty)	A flow property dataset object. See section "FlowProperty Response Elements" for a detailed description. Type: Container optional, may occur multiple times Ancestors: dataSetList

Name	Description
<i>unitGroup</i> (unitgroup)	<p>A unit group dataset object. See section "UnitGroup Response Elements" for a detailed description.</p> <p>Type: Container</p> <p>optional, may occur multiple times</p> <p>Ancestors: dataSetList</p>
<i>contact</i> (contact)	<p>A source dataset object. See section "Source Response Elements" for a detailed description.</p> <p>Type: Container</p> <p>optional, may occur multiple times</p> <p>Ancestors: dataSetList</p>
<i>contact</i> (contact)	<p>A contact dataset object. See section "Contact Response Elements" for a detailed description.</p> <p>Type: Container</p> <p>optional, may occur multiple times</p> <p>Ancestors: dataSetList</p>
<i>lciamethod</i> (lciamethod)	<p>An LCIA method dataset object. See section "LCIAMethod Response Elements" for a detailed description.</p> <p>Type: Container</p> <p>optional, may occur multiple times</p> <p>Ancestors: dataSetList</p>

## Process Response Elements

**Table 15.**

<b>Name</b>	<b>Description</b>
<i>process</i> (process)	<description here>  Type: String  Ancestors: None
@ <i>accessRestricted</i>	<description here>  Type: String  Ancestors: process
<i>uuid</i>	<description here>  Type: String  Ancestors: process
<i>permanentUri</i>	<description here>  Type: String  Ancestors: process
<i>dataSetVersion</i>	<description here>  Type: String  Ancestors: process
<i>name</i>	<description here>  Type: String Multilang  Ancestors: process
<i>classification</i>	<description here>  Type: String  Ancestors: process
<i>class</i>	<description here>  Type: String  may occur multiple times  Ancestors: process.classification
@ <i>level</i>	<description here>  Type: String  Ancestors: process.classification.class
<i>generalComment</i>	<description here>

<b>Name</b>	<b>Description</b>
	Type: String Multilang Ancestors: process
<i>synonyms</i>	<description here> Type: String Multilang may occur multiple times Ancestors: process
<i>type</i> (process)	<description here> Type: String Ancestors: process
<i>quantitativeReference</i> (process)	<description here> Type: String Ancestors: process
<i>referenceFlow</i> (process)	<description here> Type: String Ancestors: process.quantitativeReference
<i>name</i> (process)	<description here> Type: String Multilang Ancestors: process.quantitativeReference.referenceFlow
<i>meanValue</i> (process)	<description here> Type: String Ancestors: process.quantitativeReference.referenceFlow
<i>reference</i>	<description here> Type: String Ancestors: process.quantitativeReference.referenceFlow
<i>@type</i>	<description here> Type: String Ancestors: process.quantitativeReference.referenceFlow.reference
<i>@refObjectId</i>	<description here> Type: String Ancestors: process.quantitativeReference.referenceFlow.reference
<i>shortDescription</i>	<description here>

<b>Name</b>	<b>Description</b>
	Type: String Multilang Ancestors: process.quantitativeReference.referenceFlow.reference
<i>functionalUnit</i> (process)	<description here> Type: String Multilang Ancestors: process.quantitativeReference
<i>location</i> (process)	<description here> Type: String Ancestors: process
<i>time</i> (process)	<description here> Type: String Ancestors: process
<i>referenceYear</i> (process)	<description here> Type: String Ancestors: process.time
<i>validUntil</i> (process)	<description here> Type: String Ancestors: process.time
<i>parameterized</i> (process)	<description here> Type: String Ancestors: process
<i>hasResults</i> (process)	<description here> Type: String Ancestors: process
<i>containsProductModel</i> (process)	<description here> Type: String Ancestors: process
<i>lciMethodInformation</i> (process)	<description here> Type: String Ancestors: process
<i>methodPrinciple</i> (process)	<description here> Type: String

Name	Description
	Ancestors: process.lciMethodInformation
<i>approach</i> (process)	<description here>  Type: String  may occur multiple times  Ancestors: process.lciMethodInformation
<i>completenessProduct-Model</i> (process)	<description here>  Type: String  Ancestors: process
<i>complianceSystem</i> (process)	<description here>  Type: String  Ancestors: process
@name	<description here>  Type: String  Ancestors: process.complianceSystem
<i>overallCompliance</i> (process)	<description here>  Type: String  Ancestors: process.complianceSystem
<i>review</i> (process)	<description here>  Type: String  Ancestors: process
@type	<description here>  Type: String  Ancestors: process.review
<i>scope</i> (process)	<description here>  Type: String  Ancestors: process.review
@name	<description here>  Type: String  Ancestors: process.review.scope
<i>method</i> (process)	<description here>  Type: String

<b>Name</b>	<b>Description</b>
	Ancestors: process.review.scope
<i>@name</i>	<description here> Type: String Ancestors: process.review.scope.method
<i>dataQualityIndicators</i> (process)	<description here> Type: String Ancestors: process.review
<i>dataQualityIndicator</i> (process)	<description here> Type: String Ancestors: process.review.dataQualityIndicators
<i>@name</i>	<description here> Type: String Ancestors: process.review.dataQualityIndicators.dataQualityIndicator
<i>@value</i>	<description here> Type: String Ancestors: process.review.dataQualityIndicators.dataQualityIndicator
<i>reviewDetails</i> (process)	<description here> Type: String Multilang Ancestors: process.review
<i>overallQuality</i> (process)	<description here> Type: String Ancestors: process
<i>useAdvice</i> (process)	<description here> Type: String Multilang Ancestors: process
<i>accessInformation</i> (process)	<description here> Type: String Ancestors: process
<i>copyright</i> (process)	<description here> Type: String Ancestors: process.accessInformation

<b>Name</b>	<b>Description</b>
<i>licenseType</i> (process)	<description here> Type: String Ancestors: process.accessInformation
<i>useRestrictions</i> (process)	<description here> Type: String Multilang Ancestors: process.accessInformation
<i>format</i> (process)	<description here> Type: String Ancestors: process
<i>ownership</i> (process)	<description here> Type: String Ancestors: process
<i>@type</i>	<description here> Type: String Ancestors: process.ownership
<i>@refObjectId</i>	<description here> Type: String Ancestors: process.ownership
<i>shortDescription</i>	<description here> Type: String Multilang Ancestors: process.ownership

## Flow Response Elements

**Table 16.**

<b>Name</b>	<b>Description</b>
<i>flow</i> (flow)	<description here> Type: String Ancestors: None
<i>uuid</i>	<description here> Type: String Ancestors: flow
<i>permanentUri</i>	<description here> Type: String Ancestors: flow
<i>dataSetVersion</i>	<description here> Type: String Ancestors: flow
<i>name</i>	<description here> Type: String Multilang Ancestors: flow
<i>generalComment</i>	<description here> Type: String Multilang Ancestors: flow
<i>synonyms</i>	<description here> Type: String Multilang may occur multiple times Ancestors: flow
<i>flowCategorization</i> (flow)	<description here> Type: String Ancestors: flow
<i>category</i>	<description here> Type: String may occur multiple times

Name	Description
	Ancestors: flow.flowCategorization
<i>@level</i>	<description here> Type: String Ancestors: flow.flowCategorization.category
<i>type</i> (flow)	<description here> Type: String Ancestors: flow
<i>casNumber</i> (flow)	<description here> Type: String Ancestors: flow
<i>sumFormula</i> (flow)	<description here> Type: String Ancestors: flow
<i>referenceFlowProperty</i> (flow)	<description here> Type: String Ancestors: flow
<i>@href</i> ( )	<description here> Type: String Ancestors: flow.referenceFlowProperty
<i>name</i> (flow)	<description here> Type: String Multilang Ancestors: flow.referenceFlowProperty
<i>defaultUnit</i> (flow)	<description here> Type: String Ancestors: flow.referenceFlowProperty
<i>reference</i>	<description here> Type: String Ancestors: flow.referenceFlowProperty
<i>@type</i>	<description here> Type: String Ancestors: flow.referenceFlowProperty.reference



Name	Description
<i>@refObjectId</i>	<description here> Type: String Ancestors: flow.referenceFlowProperty.reference
<i>shortDescription</i>	<description here> Type: String Multilang Ancestors: flow.referenceFlowProperty.reference

## FlowProperty Response Elements

**Table 17.**

<b>Name</b>	<b>Description</b>
<i>flowProperty</i> (flow)	<description here>  Type: String  Ancestors: None
<i>uuid</i>	<description here>  Type: String  Ancestors: flowProperty
<i>permanentUri</i>	<description here>  Type: String  Ancestors: flowProperty
<i>dataSetVersion</i>	<description here>  Type: String  Ancestors: flowProperty
<i>name</i>	<description here>  Type: String Multilang  Ancestors: flowProperty
<i>generalComment</i>	<description here>  Type: String Multilang  Ancestors: flowProperty
<i>synonyms</i>	<description here>  Type: String Multilang  may occur multiple times  Ancestors: flowProperty
<i>unitGroup</i> (flow)	<description here>  Type: String  Ancestors: flowProperty
<i>name</i> (flow)	<description here>  Type: String Multilang  Ancestors: flowProperty.unitGroup
<i>defaultUnit</i>	<description here>

<b>Name</b>	<b>Description</b>
(flow)	Type: String Ancestors: flowProperty.unitGroup
<i>reference</i>	<description here> Type: String Ancestors: flowProperty.unitGroup
<i>@type</i>	<description here> Type: String Ancestors: flowProperty.unitGroup.reference
<i>@refObjectId</i>	<description here> Type: String Ancestors: flowProperty.unitGroup.reference
<i>shortDescription</i>	<description here> Type: String Multilang Ancestors: flowProperty.unitGroup.reference

## UnitGroup Response Elements

**Table 18.**

<b>Name</b>	<b>Description</b>
<i>unitGroup</i> (unitgroup)	<description here> Type: String Ancestors: None
<i>uuid</i>	<description here> Type: String Ancestors: unitGroup
<i>permanentUri</i>	<description here> Type: String Ancestors: unitGroup
<i>dataSetVersion</i>	<description here> Type: String Ancestors: unitGroup
<i>name</i>	<description here> Type: String Multilang Ancestors: unitGroup
<i>generalComment</i>	<description here> Type: String Multilang Ancestors: unitGroup
<i>referenceUnit</i> (unitgroup)	<description here> Type: String Ancestors: unitGroup

## Source Response Elements

**Table 19.**

<b>Name</b>	<b>Description</b>
<i>source</i> (source)	<description here>  Type: String  Ancestors: None
<i>uuid</i>	<description here>  Type: String  Ancestors: source
<i>permanentUri</i>	<description here>  Type: String  Ancestors: source
<i>dataSetVersion</i>	<description here>  Type: String  Ancestors: source
<i>name</i>	<description here>  Type: String Multilang  may occur multiple times  Ancestors: source
<i>generalComment</i>	<description here>  Type: String Multilang  Ancestors: source
<i>citation</i> (source)	<description here>  Type: String Multilang  Ancestors: source
<i>publicationType</i> (source)	<description here>  Type: String  Ancestors: source
<i>file</i> (source)	<description here>  Type: String  Ancestors: source
<i>@type</i>	<description here>

Name	Description
	Type: String Ancestors: source.file
@href ()	<description here> Type: String Ancestors: source.file
<i>shortDescription</i>	<description here> Type: String Multilang Ancestors: source.file
<i>belongsTo</i> (source)	<description here> Type: String Ancestors: source
@type	<description here> Type: String Ancestors: source.belongsTo
@refObjectId	<description here> Type: String Ancestors: source.belongsTo
<i>shortDescription</i>	<description here> Type: String Multilang Ancestors: source.belongsTo

## Contact Response Elements

**Table 20.**

<b>Name</b>	<b>Description</b>
<i>contact</i> (contact)	<description here>  Type: String  Ancestors: None
<i>@sourceId</i>	<description here>  Type: String  Ancestors: contact
<i>uuid</i>	<description here>  Type: String  Ancestors: contact
<i>permanentUri</i>	<description here>  Type: String  Ancestors: contact
<i>dataSetVersion</i>	<description here>  Type: String  Ancestors: contact
<i>name</i>	<description here>  Type: String Multilang  Ancestors: contact
<i>classification</i>	<description here>  Type: String  Ancestors: contact
<i>class</i>	<description here>  Type: String  may occur multiple times  Ancestors: contact.classification
<i>@level</i>	<description here>  Type: String  Ancestors: contact.classification.class
<i>generalComment</i>	<description here>

Name	Description
	Type: String Multilang Ancestors: contact
<i>centralContactPoint</i> (contact)	<description here> Type: String Ancestors: contact
<i>phone</i> (contact)	<description here> Type: String Ancestors: contact
<i>fax</i> (contact)	<description here> Type: String Ancestors: contact
<i>email</i> (contact)	<description here> Type: String Ancestors: contact
<i>www</i> (contact)	<description here> Type: String Ancestors: contact

## LCIAMethod Response Elements

**Table 21.**

Name	Description
<i>LCIAMethod</i> (lciamethod)	<description here>  Type: String  Ancestors: None
<i>uuid</i>	<description here>  Type: String  Ancestors: LCIAMethod
<i>permanentUri</i>	<description here>  Type: String  Ancestors: LCIAMethod
<i>dataSetVersion</i>	<description here>  Type: String  Ancestors: LCIAMethod
<i>name</i>	<description here>  Type: String Multilang  Ancestors: LCIAMethod
<i>classification</i>	<description here>  Type: String  Ancestors: LCIAMethod
<i>class</i>	<description here>  Type: String  may occur multiple times  Ancestors: LCIAMethod.classification
<i>@level</i>	<description here>  Type: String  Ancestors: LCIAMethod.classification.class
<i>generalComment</i>	<description here>  Type: String Multilang  Ancestors: LCIAMethod
<i>type</i>	<description here>

<b>Name</b>	<b>Description</b>
(lciamethod)	Type: String Ancestors: LCIAMethod
<i>methodology</i> (lciamethod)	<description here> Type: String may occur multiple times Ancestors: LCIAMethod
<i>impactCategory</i> (lciamethod)	<description here> Type: String Ancestors: LCIAMethod
<i>areaOfProtection</i> (lciamethod)	<description here> Type: String Ancestors: LCIAMethod
<i>impactIndicator</i> (lciamethod)	<description here> Type: String Ancestors: LCIAMethod
<i>time</i> (lciamethod)	<description here> Type: String Ancestors: LCIAMethod
<i>referenceYear</i> (lciamethod)	<description here> Type: String Multilang Ancestors: LCIAMethod.time
<i>duration</i> (lciamethod)	<description here> Type: String Multilang Ancestors: LCIAMethod.time